
MavaNell Studio

Vintage Four-Patch Lattice

A Charm Pack Quilt



48” X 70”

Getting Started

- Read the entire pattern before you begin.
- All seams are ¼” unless otherwise noted.
- Width of fabric (WOF) is assumed to be 40 usable inches.
- RST = Right Sides Together

Fabric Requirements

- 1 Charm Pack or [42] 5” X 5” fabric squares
- 1 Layer Cake (solid) for background or 2½ yards solid fabric
- ½ yard coordinating fabric for outer border
- ¼ yard background fabric for inner border
- 3½ yards backing fabric
- ½ yard binding fabric

©2023 MavaNell Studio. All Rights Reserved.


Cutting Instructions

- Cut [32] Layer Cake squares into 5” X 5” squares
  - or cut yardage into [16] 5” X WOF strips, then sub-cut into [126] 5” X 5” squares
- Cut outer border fabric into [3] 5½” X WOF strips
  - Sub-cut [1] strip into two 5½” X 20” strips
- Cut inner border fabric into [3] 2½” X WOF strips
  - Sub-cut [1] strip into two 2½” X 20” strips

Block Assembly


***If you are using the Creative Grids® Turbo 4-Patch Ruler, use measurements for 4” finished block.

- Lay a charm square and background square RST




Step 1

- Sew ¼” from the edge along two opposite sides.




Step 2

- Measure 2¼” from one of the seams and cut a vertical line (red line below). Measure 2¼” from the other seam and trim any excess fabric.




Step 3

- Press seams toward the dark fabric



Step 4


- Lay units RST so that light fabric touches dark fabric. Nest seams. Sew ¼” seam along each side so that new seams cross nested seams as shown.



Step 5


©2023 MavaNell Studio. All Rights Reserved.

- Measure 2¼” from one seam and cut vertical line (red line) as shown. Measure 2¼” from other seam and trim any excess fabric. Press units open to reveal [2] four-patch units. Square units to 4½” X 4½”.




Step 6

- Trim [2] background squares to 4½” X 4½”. Sew background squares to four patch units as shown.




Step 7

- Sew units together as shown to form four patch block. Trim unfinished block to measure 8½ ” X 8½”.




Step 8

- Make [42] 8½” X 8½” blocks.



Quilt Top Assembly


- Choose the layout for your quilt.
- Sew 6 blocks together to create each row. Press seams toward right for odd rows and toward left for even rows.
- Finally, sew rows together making sure to nest seams.



©2023 MavaNell Studio. All Rights Reserved.

Assemble Borders


- Lay [1] 2½” X WOF border strip right side up (horizontal) and [1] 2½” X 20” border strip right side down (vertical) as shown.
- Sew along diagonal line and press open to form long border.
- Make two.



- Lay [1] 5½” X WOF border strip right side up (horizontal) and [1] 5½ X 20” border strip right side down (vertical) as shown.
- Sew along diagonal line and press open to form long border.
- Make two.



- Sew inner borders to top and bottom of quilt. Trim to match quilt top edges.
- Sew outer borders to top and bottom of quilt. Trim to match quilt top edges.



Backing and Binding

- Cut backing fabric in half to form [2] 63” X 40” pieces.
- Open each fabric piece at the fold and sew 63” sides together RST using ½” seam. Press seam open.
- The backing piece should be big enough to extend beyond the quilt top 4 - 5 inches on each side.
- Cut [7] 2½” X WOF strips from binding fabric.
- Assemble binding using the same method used to create the borders.
- All [7] strips sewn together should measure approximately 256”.
- Press binding strip in half lengthwise to create one 1¼” X 256” strip.
- Quilt as desired and attach binding using your favorite technique.

©2023 MavaNell Studio. All Rights Reserved.